



TRICORE CORPORATION


545 , SEC 3 , CHANG YUAN ROAD, HWA TANG COUNTRY,
 CHANG-HWA TAIWAN
 Tel:886-4-712-5688 Fax:886-4-712-5698
 EmailAddress:tricore@tricore.com.tw

VIBRATION MOTOR

MODEL

VM06 SERIES

OUTPUT:APPROX 0.05~1.0W
 Weight : 2.4g (approx)




APPLICATION

- ☆ Pager
- ☆ Massager

MODEL	VOLTAGE		RATED LOAD		
	OPERATING RANGE	NOMINAL	LOAD	SPEED	CURRENT
			g-cm	r/min	A
VM0601	1.1~1.7	1.3	WEIGHT	8500	0.07

SPECIFICATION VM0601



Spec could be customized



TRICORE CORPORATION


545 , SEC 3 , CHANG YUAN ROAD, HWA TANG COUNTRY,
 CHANG-HWA TAIWAN
 Tel:886-4-712-5688 Fax:886-4-712-5698
 Email Address: tricore@tricore.com.tw

VIBRATION MOTOR

MODEL

VM06 SERIES

OUTPUT: APPROX 0.05W~1.0W
 Weight : 2.2g (approx)




APPLICATION

- ☆ Precision instruments
- ☆ Mobile Phone
- ☆ Pager
- ☆ Massager

MODEL	VOLTAGE		NO LOAD		AT MAXIMUM EFFICIENCY				STALL			
	OPERATING RANGE	NOMINAL	SPEED	CURRENT	SPEED	CURRENT	TORQUE		OUTPUT	TORQUE		CURRENT
			r/min	A	r/min	A	g-cm	mN -m	W	g-cm	mN -m	A
VM0601	1.1~2.0	1.3	12900	0.028	8700	0.059	0.1	0.01	0.09	0.6	0.06	0.13

SPECIFICATION



Spec could be customized



TRICORE CORPORATION

545, SEC 3, CHANG YUAN ROAD, HWA TANG COUNTRY
 CHANG-HWA TAIWAN R.O.C
 Tel: 886-4-712-5688 Fax: 886-4-712-5698
 Email Address: tricore@tricore.com.tw


VIBRATION MOTOR

MODEL

VM06 SERIES

OUTPUT: APPROX 0.05W~1.0W

Weight : 2.2g (approx)



APPLICATION


- ☆ Precision instruments
- ☆ Pager
- ☆ Mobile Phone
- ☆ Massager

MODEL	VOLTAGE		RATEDLOAD		
	OPERATING RANGE	NOMINAL	LOAD	SPEED	CURRENT
			g-cm	r/min.	A
VM0605	2.4~4.0	3.0	WEIGHT	5500	0.20

SPECIFICATION

VM0605

DIRECTION OF ROTATION



Spec could be customized